

**C & W BUSINESS PARK
FOR 2008**

PARENT PARCELS – 02-4S-16-02712-008 – 2.81 AC. (DELETED ALL USED UP)

02-4S-16-02712-000 – 47.79 AC – 6.79 AC = 41.00 AC (LEFT)

**HEADER PARCEL – 02-4S-16-02712-100 – A S/D LYING IN THE NE1/4 OF THE SE1/4
OF SEC 02-4S-16 CONTAINING 9.46 AC RECORDED ON 10/10/2007 IN PLAT BOOK
9 PAGES 39 & 40.**

:PROPERTY IS ZONED COLUMBIA COUNTY COMMERCIAL INTENSIVE:

(CO) (CI)

LOT	1	02-4S-16-02712-101	1.68 AC.
LOT	2	02-4S-16-02712-102	1.86 AC.
LOT	3	02-4S-16-02712-103	2.14 AC.
LOT	4	02-4S-16-02712-104	1.03 AC.
LOT	5	02-4S-16-02712-105	.90 AC.
LOT	6	02-4S-16-02712-106	.90 AC.
LOT	7	02-4S-16-02712-107	.95 AC.



Bailey Bishop & Lane, Inc.

P.O. Box 3717
Lake City, FL 32056
Ph. 386-752-5640
Eng. Lic. 7362
BBL Job No. L070227C&W

C & W BUSINESS PARK

IN
SECTION 2, TOWNSHIP 4 SOUTH, RANGE 16 EAST
CITY OF LAKE CITY, FLORIDA

PLAT BOOK 9 PAGE 39
PAGE 1 OF 2

DESCRIPTION:

BEGIN AT THE NORTHEAST CORNER OF THE SE 1/4, SECTION 2, TOWNSHIP 4 SOUTH, RANGE 16 EAST, COLUMBIA COUNTY, FLORIDA AND RUN THENCE S 02°10'42" E, ALONG THE EAST LINE OF SAID SE 1/4, 294.09 FEET TO THE NORTHWESTERLY RIGHT OF WAY OF SW BRANFORD ROAD (STATE ROAD 247); THENCE S 41°22'08" W, ALONG SAID NORTHWESTERLY RIGHT OF WAY, 308.02 FEET TO A POINT OF A CURVE; THENCE RUN NORTHERLY ALONG THE ARC OF SAID CURVE CONCAVE TO THE NORTHEAST HAVING A RADIUS OF 50.00 FEET, A CENTRAL ANGLE OF 90°00'12", A CHORD BEARING AND DISTANCE OF S 86°22'14" W 70.71 FEET, AN ARC LENGTH OF 78.54 FEET TO THE EASTERLY LINE OF SW REAL TERRACE; THENCE N 48°37'40" W, ALONG SAID EASTERLY LINE, 149.38 FEET TO A POINT OF A CURVE; THENCE RUN NORTHERLY ALONG SAID EAST LINE ALONG THE ARC OF SAID CURVE CONCAVE TO THE EAST HAVING A RADIUS OF 460.00 FEET, A CENTRAL ANGLE OF 65°10'05", A CHORD BEARING AND DISTANCE OF N 16°02'36" W 495.45 FEET, AN ARC LENGTH OF 523.20 FEET; THENCE S 90°00'00" E, 510.64 FEET TO THE EAST LINE OF THE NE 1/4 OF SAID SECTION 2; THENCE S 01°42'28" E, ALONG SAID EAST LINE, 45.40 FEET TO THE POINT OF BEGINNING.

AND

COMMENCE AT THE NORTHEAST CORNER OF THE SE 1/4, SECTION 2, TOWNSHIP 4 SOUTH, RANGE 16 EAST, COLUMBIA COUNTY, FLORIDA AND RUN THENCE S 02°10'42" E, ALONG THE EAST LINE OF SAID SE 1/4, 294.09 FEET TO THE NORTHWESTERLY RIGHT OF WAY OF SW BRANFORD ROAD (STATE ROAD 247); THENCE S 41°22'08" W, ALONG SAID NORTHWESTERLY RIGHT OF WAY, 488.02 FEET TO THE POINT OF BEGINNING; THENCE CONTINUE S 41°22'08" W, ALONG SAID NORTHWESTERLY RIGHT OF WAY, 177.46 FEET; THENCE N 48°37'30" W, 590.70 FEET; THENCE N 71°46'03" E, 295.69 FEET TO A POINT OF A CURVE; THENCE RUN SOUTHEASTERLY ALONG THE ARC OF SAID CURVE CONCAVE TO THE SOUTHWEST HAVING A RADIUS OF 30.00 FEET, A CENTRAL ANGLE OF 81°51'11", A CHORD BEARING AND DISTANCE OF S 67°18'21" E 39.31 FEET, AN ARC LENGTH OF 42.86 FEET TO THE WESTERLY LINE OF SW REAL TERRACE AND TO A POINT OF REVERSE CURVE; THENCE RUN SOUTHERLY ALONG SAID WESTERLY LINE ALONG THE ARC OF SAID CURVE CONCAVE TO THE EAST HAVING A RADIUS OF 540.00 FEET, A CENTRAL ANGLE OF 22°14'53", A CHORD BEARING AND DISTANCE OF S 37°30'12" E 208.37 FEET, AN ARC LENGTH OF 209.68 FEET; THENCE S 48°37'40" E, ALONG SAID WESTERLY LINE, 149.39 FEET TO A POINT OF A CURVE; THENCE RUN SOUTHERLY AND WESTERLY ALONG SAID WESTERLY LINE ALONG THE ARC OF SAID CURVE CONCAVE TO THE NORTHWEST HAVING A RADIUS OF 50.00 FEET, A CENTRAL ANGLE OF 89°59'48", A CHORD BEARING AND DISTANCE OF S 03°37'46" E 70.71 FEET, AN ARC DISTANCE OF 78.54 FEET TO THE POINT OF BEGINNING.

AND

COMMENCE AT THE NORTHEAST CORNER OF THE SE 1/4, SECTION 2, TOWNSHIP 4 SOUTH, RANGE 16 EAST, COLUMBIA COUNTY, FLORIDA AND RUN THENCE N 01°42'28" W, ALONG THE EAST LINE OF THE NE 1/4 OF SAID SECTION 2, 45.40 FEET; THENCE N 90°00'00" W, 593.55 FEET TO THE WESTERLY LINE OF SW REAL TERRACE AND TO A POINT OF A CURVE; THENCE RUN SOUTHERLY ALONG SAID WESTERLY LINE ALONG THE ARC OF SAID CURVE CONCAVE TO THE EAST HAVING A RADIUS OF 540.00 FEET, A CENTRAL ANGLE OF 06°17'42", A CHORD BEARING AND DISTANCE OF S 10°53'16" W 59.30 FEET, AN ARC DISTANCE OF 59.33 FEET TO THE POINT OF BEGINNING; THENCE CONTINUE SOUTHERLY ALONG SAID WESTERLY LINE ALONG THE ARC OF SAID CURVE CONCAVE TO THE EAST HAVING A RADIUS OF 540.00 FEET, A CENTRAL ANGLE OF 22°01'37", A CHORD BEARING AND DISTANCE OF S 03°16'23" E 206.32 FEET, AN ARC DISTANCE OF 207.60 FEET TO A POINT OF REVERSE CURVE; THENCE RUN SOUTHERLY AND WESTERLY ALONG THE ARC OF SAID CURVE CONCAVE TO THE NORTHWEST HAVING A RADIUS OF 30.00 FEET, A CENTRAL ANGLE OF 86°03'15", A CHORD BEARING AND DISTANCE OF S 28°44'26" W 40.94 FEET, AN ARC DISTANCE OF 45.06 FEET; THENCE S 71°46'03" W, 109.79 FEET; THENCE N 18°13'57" W, 257.92 FEET; THENCE N 64°08'35" E, 105.32 FEET; THENCE S 81°29'31" E, 99.19 FEET TO THE POINT OF BEGINNING.

CONTAINING 9.46 ACRES, MORE OR LESS.

CERTIFICATE OF DEDICATION & OWNERSHIP:

KNOW ALL MEN BY THESE PRESENTS THAT DANIEL CRAPPS, AS TRUSTEE UNDER LAND TRUST AGREEMENT DATED SEPTEMBER 1, 1990, KNOWN AS C & W LAND TRUST, AND PREMIERE INVESTMENTS, LLC., A FLORIDA LIMITED LIABILITY COMPANY, AS OWNERS, AND FIRST FEDERAL SAVINGS BANK OF FLORIDA, AS MORTGAGEE, HAVE CAUSED THE LANDS HEREON SHOWN AND DESCRIBED, TO BE SURVEYED, SUBDIVIDED AND PLATTED AS A COMMERCIAL SUBDIVISION, IN ACCORDANCE WITH AND PURSUANT TO THE PROVISIONS OF ALL APPLICABLE LAND DEVELOPMENT REGULATIONS AND ORDINANCES OF THE CITY OF LAKE CITY, FLORIDA AND FLORIDA STATUTES, TO BE KNOWN AS C & W BUSINESS PARK AND CONSISTING OF LOT NOS. 1 THROUGH 5, AND THAT ALL STREETS, ROADS, RIGHTS OF WAY, IF ANY, AND ALL UTILITY AND DRAINAGE EASEMENTS, AS SHOWN AND DEPICTED ON THE PLAT OF SAID C & W BUSINESS PARK, ARE HEREBY DEDICATED TO THE PERPETUAL USE OF THE PUBLIC FOR USES AS SHOWN HEREON.

OWNERS:

Daniel Crapps
DANIEL CRAPPS, TRUSTEE
C & W LAND TRUST

Lisa Hicks
WITNESS
Lee Kason
WITNESS

Christopher H. Dampier
CHRISTOPHER H. DAMPIER, MANAGING MEMBER
PREMIERE INVESTMENTS, LLC

Diane H. Killebrew
WITNESS
March D. Morris
WITNESS

Jonathan L. Ward Jr.
JONATHAN L. WARD JR., MANAGING MEMBER
PREMIERE INVESTMENTS, LLC

Diane H. Killebrew
WITNESS

MORTGAGEE:

Robert Turbeville
ROBERT TURBEVILLE, SENIOR VICE-PRESIDENT
FIRST FEDERAL SAVINGS BANK OF FLORIDA

Sharon Skeen
WITNESS
Joyce Warner
WITNESS

CERTIFICATE OF THE CLERK OF COURTS


THIS PLAT HAVING BEEN APPROVED BY THE CITY COUNCIL OF THE CITY OF LAKE CITY, FLORIDA IS HEREBY ACCEPTED FOR RECORDING WITHIN THE PUBLIC RECORDS OF COLUMBIA COUNTY, FLORIDA, THIS 10 DAY OF October 2007, AND SHALL BE RECORDED IN PLAT BOOK 9, PAGES 39 AND 40.

SIGNED: P. Dewitt Cason
CLERK OF CIRCUIT COURT, COLUMBIA COUNTY, FLORIDA

CERTIFICATE OF CITY SURVEYOR

KNOW ALL MEN BY THESE PRESENTS, THAT THE UNDERSIGNED, BEING A LICENSED AND REGISTERED LAND SURVEYOR AND MAPPER, AS PROVIDED UNDER CHAPTER 472, FLORIDA STATUTES AND IS IN GOOD STANDING WITH THE BOARD OF LAND SURVEYORS, DOES HEREBY CERTIFY TO THE CITY OF LAKE CITY, FLORIDA, THAT ON 9/25/2007, THE UNDERSIGNED REVIEWED THIS PLAT FOR CONFORMITY TO CHAPTER 177, FLORIDA STATUTES; AND HEREBY STATE THAT THIS PLAT CONFORMS TO ALL REQUIREMENTS OF CHAPTER 177, FLORIDA STATUTES.

SIGNED: Timothy A. Delbene
TIMOTHY A. DELBENE, P.S.M. LS# 55394
DONALD F. LEB & ASSOC.
DATE: 9-25-07




LOCATION MAP
1" = 1500'

ACKNOWLEDGEMENT: STATE OF FLORIDA, CITY OF LAKE CITY

THE FOREGOING DEDICATION WAS ACKNOWLEDGED BEFORE ME THIS 26 DAY OF Sept 2007 BY DANIEL CRAPPS, TRUSTEE OF C & W LAND TRUST. HE IS PERSONALLY KNOWN TO ME OR HAS PRODUCED PK AS IDENTIFICATION.

SIGNED: Vera Lisa Hicks
NOTARY PUBLIC

MY COMMISSION EXPIRES: 8-23-10




ACKNOWLEDGEMENT: STATE OF FLORIDA, CITY OF LAKE CITY

THE FOREGOING DEDICATION WAS ACKNOWLEDGED BEFORE ME THIS 27 DAY OF Sept 2007 BY CHRISTOPHER H. DAMPIER, MANAGING MEMBER OF PREMIERE INVESTMENTS, LLC. HE IS PERSONALLY KNOWN TO ME OR HAS PRODUCED PK AS IDENTIFICATION.

SIGNED: March D. Morris
NOTARY PUBLIC

MY COMMISSION EXPIRES: 6/16/2011




ACKNOWLEDGEMENT: STATE OF FLORIDA, CITY OF LAKE CITY

THE FOREGOING DEDICATION WAS ACKNOWLEDGED BEFORE ME THIS 27 DAY OF Sept 2007 BY JONATHAN L. WARD JR., MANAGING MEMBER OF PREMIERE INVESTMENTS, LLC. HE IS PERSONALLY KNOWN TO ME OR HAS PRODUCED PK AS IDENTIFICATION.

SIGNED: March D. Morris
NOTARY PUBLIC

MY COMMISSION EXPIRES: 6/16/2011




ACKNOWLEDGEMENT: STATE OF FLORIDA, CITY OF LAKE CITY

THE FOREGOING DEDICATION WAS ACKNOWLEDGED BEFORE ME THIS 27 DAY OF September BY ROBERT TURBEVILLE, AS SENIOR VICE-PRESIDENT OF FIRST FEDERAL SAVINGS BANK OF FLORIDA, FOR AND ON BEHALF OF SAID BANK. HE IS PERSONALLY KNOWN TO ME OR HAS PRODUCED NA AS IDENTIFICATION.

SIGNED: Joyce Warner
NOTARY PUBLIC

MY COMMISSION EXPIRES: _____



SPECIAL NOTE

NOTICE: THIS PLAT, AS RECORDED IN ITS GRAPHIC FORM, IS THE OFFICIAL DEPICTION OF THE SUBDIVIDED LANDS DESCRIBED HEREIN AND WILL IN NO CIRCUMSTANCES BE SUPPLANTED IN AUTHORITY BY ANY OTHER GRAPHIC OR DIGITAL FORM OF THE PLAT THAT THERE MAY BE ADDITIONAL RESTRICTIONS THAT ARE NOT RECORDED ON THIS PLAT THAT MAY BE FOUND IN THE DECLARATION OF RESTRICTIONS AND PROTECTIVE COVENANTS AS RECORDED IN ORB. _____ AT PAGE(S) _____ OF THE PUBLIC RECORDS OF COLUMBIA COUNTY, FLORIDA AND IN OTHER RECORDS OF THE PUBLIC RECORDS OF SAID COUNTY.

SPECIAL NOTE

NOTICE: ALL PLATTED UTILITY EASEMENTS SHALL PROVIDE THAT SUCH EASEMENTS SHALL ALSO BE EASEMENTS FOR THE CONSTRUCTION, INSTALLATION, MAINTENANCE AND OPERATION OF CABLE TELEVISION SERVICES PROVIDED. HOWEVER, NO SUCH CONSTRUCTION, INSTALLATION, MAINTENANCE, AND OPERATION OF CABLE TELEVISION SERVICES SHALL INTERFERE WITH THE FACILITIES AND SERVICES OF ELECTRIC, TELEPHONE, GAS, OR OTHER PUBLIC UTILITY. IN THE EVENT THAT A CABLE TELEVISION COMPANY DAMAGES THE FACILITIES OF A PUBLIC UTILITY, IT SHALL BE SOLELY RESPONSIBLE FOR THE DAMAGES.

NOTICE:

ALL CABLE TELEVISION, TELEPHONE, AND POWER LINES SHALL BE LOCATED WITHIN DEDICATED UTILITY EASEMENT AND NOT WITHIN THE PUBLIC RIGHT-OF-WAY. RIGHT-OF-WAY SHALL BE RESERVED FOR THE INSTALLATION OF CITY SEWER, POTABLE WATER, AND GAS ONLY. EXCEPT IN CITY APPROVED CROSSING AREAS.

NOTES:

- BEARINGS ARE BASED ON THE NORTHWESTERLY RIGHT OF WAY OF SW BRANFORD ROAD (STATE ROAD 247), BEING S 41°22'08" W.
- TOTAL ACRES IN SUBDIVISION IS 9.46 ACRES.
- SUBDIVISION CONSISTS OF 7 LOTS RANGING IN SIZE FROM 0.90 ACRES TO 2.14 ACRES.
- PROPERTY IS ZONED COLUMBIA COUNTY COMMERCIAL INTENSIVE (CO) (C1).
- CLOSURE EXCEEDS 1:10000.
- ACCORDING TO FLOOD INSURANCE RATE MAP COMMUNITY PANEL NO. 120070 0175 B EFFECTIVE DATE JANUARY 6, 1988 THE ABOVE DESCRIBED LANDS LIE IN ZONE "X", AN AREA DETERMINED TO BE OUTSIDE OF THE 500-YEAR FLOOD PLAIN AND ZONE "A", AN AREA DETERMINED TO BE INSIDE OF THE 100-YEAR FLOOD PLAIN
- WATER SUPPLY AND SANITARY SEWER IS TO BE PROVIDED BY THE CITY OF LAKE CITY.
- BUILDING SETBACKS ARE AS FOLLOWS:
FRONT - 20 FEET
SIDE - NONE, EXCEPT WHERE A SIDE YARD IS PROVIDED, THEN A SIDE YARD OF AT LEAST 10 FEET MUST BE PROVIDED
REAR - 15 FEET
- ELEVATIONS ARE BASED ON NGVD 1929.
- NO PROPOSED COVENANTS AND RESTRICTIONS EXIST FOR THIS SUBDIVISION.
- EACH LOT WILL OBTAIN ITS OWN SEWER CONNECTION AT THE TIME OF CONSTRUCTION.
- PRELIMINARY PLAT WAS DRAWN ON AUGUST 1, 2007 AND APPROVED ON AUGUST 20, 2007. FINAL PLAT WAS DRAWN ON AUGUST 28, 2007.
- ALL LOT LINES ARE NON-RADIAL, UNLESS OTHERWISE INDICATED.

APPROVAL CERTIFICATION PLANNING & ZONING BOARD

I HEREBY CERTIFY THAT THE FOREGOING PLAT HAS BEEN REVIEWED BY THE CITY OF LAKE CITY, FLORIDA PLANNING AND ZONING BOARD AND APPROVED AS TO CONFORMITY WITH ADOPTED LAND DEVELOPMENT REGULATIONS.

SIGNED: Kent Harris
CHAIRMAN PLANNING AND ZONING BOARD

PRINTED NAME: Kent Harris DATE: 10-01-2007

ATTEST: Larry D. Lee
LAND DEVELOPMENT ADMINISTRATOR

PRINTED NAME: Larry D. Lee DATE: 9/28/07

CERTIFICATE OF ACCEPTANCE FOR MAINTENANCE

I HEREBY CERTIFY THAT THE IMPROVEMENTS HAVE BEEN CONSTRUCTED IN AN ACCEPTABLE MANNER AND IN ACCORDANCE WITH THE CITY OF LAKE CITY LAND DEVELOPMENT REGULATIONS ORDINANCE NO. 96-779 B, AS AMENDED, OR THAT A SURETY BOND IN ACCORDANCE WITH SECTION 5.30 OF SAID LAND DEVELOPMENT REGULATIONS IN THE AMOUNT OF \$ _____ HAS BEEN POSTED WITH THE CITY CLERK TO ASSURE COMPLETION OF ALL REQUIRED IMPROVEMENTS AND ESTIMATED MAINTENANCE REQUIREMENTS FOR THE REQUIRED WARRANTY PERIOD IN THE CASE OF DEFAULT.

SIGNED: Thomas E. Henry
DIRECTOR OF PUBLIC WORKS DATE: 9/28/07

PRINTED NAME: Thomas E. Henry

CITY ATTORNEY CERTIFICATE

I HEREBY CERTIFY THAT I HAVE EXAMINED THE FOREGOING PLAT AND FIND THAT IT COMPLIES IN FORM AND IS CONSISTENT WITH THE CITY OF LAKE CITY LAND DEVELOPMENT REGULATIONS AND CHAPTER 177 FLORIDA STATUTES.

SIGNED: Kent Harris
CITY ATTORNEY DATE: 10-1-07

CERTIFICATE OF FINAL APPROVAL BY CITY COUNCIL


THE FOREGOING PLAT HAS BEEN APPROVED BY THE COUNCIL OF THE CITY OF LAKE CITY, FLORIDA ON THIS 1st DAY OF October, 2007

SIGNED: Stephen M. Witt
MAYOR, CITY OF LAKE CITY
ATTEST: Audrey E. Sikes
CITY CLERK, CITY OF LAKE CITY


CERTIFICATE OF SURVEYOR:

I HEREBY CERTIFY THIS TO BE A TRUE AND CORRECT REPRESENTATION OF THE LANDS SURVEYED AND SHOWN HEREON, THAT THE SURVEY WAS MADE UNDER MY RESPONSIBLE SUPERVISION, DIRECTION, AND CONTROL, THAT PERMANENT REFERENCE MONUMENTS HAVE BEEN SET AS SHOWN AND THAT THE SURVEY DATA COMPLIES WITH THE CITY OF LAKE CITY LAND DEVELOPMENT REGULATIONS AND CHAPTER 177 OF THE FLORIDA STATUTES.

SIGNED: Brian Scott Daniel
BRIAN SCOTT DANIEL, P.S.M.
FLORIDA REGISTERED CERTIFICATION NO. 6449
BAILEY BISHOP & LANE, INC. LB6685
871 SW STATE ROAD 47
LAKE CITY, FLORIDA 32025



FILE NUMBER 200712022829
FILED AND RECORDED IN THE OFFICIAL RECORDS
OF COLUMBIA COUNTY, FLORIDA
10/10/07 10:07 AM 17:00 CLOCK P.M.
RECORDED
P. DEWITT CASON
CLERK OF COURTS
COLUMBIA COUNTY, FLORIDA
BY: B. Dew





Bailey Bishop & Lane, Inc.



P.O. Box 3717
Lake City, FL 32056
Ph. 386-752-5640
Eng. Lic. 7362
BBL Job No. L070227C&W

C & W BUSINESS PARK

IN
SECTION 2, TOWNSHIP 4 SOUTH, RANGE 16 EAST
CITY OF LAKE CITY, FLORIDA

OFFICIAL RECORDS

BOOK 1133 PAGE 357




SPECIAL NOTE:
WETLANDS SHOWN ON LOTS 1 & 4 AS IMPACTED/MITIGATED WETLANDS, ERP#00-0033 (HATCHED) HAVE BEEN RELOCATED TO ANOTHER LOCATION OFF SITE. REFER TO THE WETLAND BUFFER FOR LIMITS OF CONSTRUCTION.

LEGEND

○ DENOTES 5/8" IRON ROD & CAP SET (LB6685)	N - NORTH
● DENOTES IRON PIPE OR REBAR FOUND	E - EAST
■ DENOTES 4"x4" CONCRETE MONUMENT SET (LB6685)	S - SOUTH
⊠ DENOTES 4"x4" CONCRETE MONUMENT FOUND	W - WEST
⊙ DENOTES NAIL & DISK FOUND (PC7)	CL - CENTERLINE
⊕ DENOTES 4"x4" CONCRETE MONUMENT (PRM) (LB6685) UNLESS OTHERWISE NOTED	(P) - PLAT
	(D) - DEED
± - MORE OR LESS	(C) - CALCULATED
PC - POINT OF CURVATURE	(M) - MEASURED
PT - POINT OF TANGENCY	O/S - OFFSET
PI - POINT OF INTERSECTION	NO ID - NO IDENTIFICATION
PRC - POINT OF REVERSE CURVATURE	FND - FOUND
PCC - POINT OF COMPOUND CURVATURE	CM - CONCRETE MONUMENT
R - RADIUS	IP - IRON PIPE
T - TANGENT	IPC - IRON PIPE & CAP
L - ARC LENGTH	RB - REBAR
Δ - CENTRAL ANGLE	RBC - REBAR & CAP
CH - CHORD BEARING & DISTANCE	IR - IRON ROD
PCP - PERMANENT CONTROL POINT	IRC - IRON ROD & CAP
PRM - PERMANENT REFERENCE MONUMENT	NL - NAIL
R/W - RIGHT OF WAY	NL+D - NAIL & DISK
FDOT - FLORIDA DEPARTMENT OF TRANSPORTATION	ORB - OFFICIAL RECORDS BOOK
LWP - TOWNSHIP	PG - PAGE(S)
RNG - RANGE	POC - POINT OF COMMENCEMENT
LB - LICENSED BUSINESS	POB - POINT OF BEGINNING
PLS - PROFESSIONAL LAND SURVEYOR	SEC - SECTION
C1 - CURVE NUMBER	BM - BENCHMARK
L1 - LINE NUMBER	ELEV - ELEVATION
150 - CONTOUR	AC - ACRE(S)
ERP - ENVIRONMENTAL RESOURCE PERMIT	→ - FLOW ARROW
	⊙ - SOIL BORING

CURVE	RADIUS	DELTA ANGLE	CHORD BEARING	CHORD LENGTH	ARC LENGTH
C1	50.00'	90°00'12"	S 86°22'14" W	70.71'	78.54'
C2	460.00'	08°48'48"	N 44°13'15" W	70.69'	70.76'
C3	460.00'	29°01'53"	N 25°17'54" W	230.59'	233.08'
C4	460.00'	27°19'25"	N 02°52'44" E	217.29'	219.37'
C5	50.00'	89°59'48"	S 03°37'46" E	70.71'	78.54'
C6	540.00'	17°50'51"	N 39°42'13" W	167.53'	168.21'
C7	540.00'	04°24'02"	N 28°34'47" W	41.46'	41.47'
C8	30.00'	81°51'11"	S 67°18'21" E	39.31'	42.86'
C9	30.00'	86°03'15"	S 28°44'26" W	40.94'	45.06'
C10	540.00'	22°01'37"	S 03°16'23" E	206.32'	207.60'
C11	540.00'	06°17'42"	S 10°53'16" W	59.30'	59.33'
C12	540.00'	04°26'29"	S 16°15'21" W	41.85'	41.86'
C13	460.00'	01°56'09"	N 17°30'31" E	15.54'	15.54'
C14	460.00'	65°10'05"	N 16°02'36" W	495.45'	523.20'
C15	540.00'	22°14'53"	S 37°30'12" E	208.37'	209.68'
C16	500.00'	67°06'15"	N 15°04'32" W	552.69'	585.59'
C17	540.00'	03°43'06"	N 05°52'52" E	35.04'	35.04'



SCALE: 1" = 60'

DEVELOPER:
C & W LAND TRUST
DANIEL CRAPPS, TRUSTEE
2806 W. U.S. HIGHWAY 90, SUITE 101
LAKE CITY, FL 32055
(386) 755-5110

SURVEYOR:
BRIAN SCOTT DANIEL
P.O. BOX 3717
LAKE CITY, FL 32056
(386) 752-5640