### CANNON CREEK PLACE UNIT 2 FOR 2007

PARENT PARCELS – 24-4S-16-03113-000 – 58.50 AC. – .34 AC. = 58.16 AC. 23-4S-16-03095-004 – 22.95 AC. – 10.20 AC = 12.75 AC. 23-4S-16-03095-005 – 9.95 AC. – .18 AC. = 9.77 AC. 23-4S-16-03095-006 – 9.85 AC. – 7.95 AC = 1.90 AC.

HEADER PARCEL – 23-4S-16 03095-100 – A S/D LYING IN PART OF THE NE ¼ OF THE SE ¼ OF SEC 23-4S-16 AND A PART OF THE NW ¼ OF THE SW ¼ OF SEC 24-4S-16. CONTAINING 18.53 AC. RECORDED IN PLAT BOOK 8 PAGE 130 & 131.

LOT	1	23-48-16-03095-101	.51 AC.
LOT	2	23-48-16-03095-102	.51 AC.
LOT	3	23-48-16-03095-103	.51 AC.
LOT	4	23-48-16-03095-104	.51 AC.
LOT	5	23-48-16-03095-105	.51 AC.
LOT	6	23-48-16-03095-106	.51 AC.
LOT	7	23-48-16-03095-107	.51 AC.
LOT	8	23-48-16-03095-108	.77 AC.
LOT	9	23-48-16-03095-109	.54 AC.
LOT	10	23-48-16-03095-110	.51 AC.
LOT	11	23-48-16-03095-111	.51 AC.
LOT	12	23-48-16-03095-112	.50 AC.
LOT	13	23-48-16-03095-113	.50 AC.
LOT	14	23-48-16-03095-114	.51 AC.
LOT	15	23-48-16-03095-115	.51 AC.
LOT	16	23-48-16-03095-116	.51 AC.
LOT	17	23-48-16-03095-117	.51 AC.
LOT	18	23-48-16-03095-118	.51 AC.
LOT	19	23-48-16-03095-119	.50 AC.
LOT	20	23-48-16-03095-120	.51 AC.
LOT	21	23-48-16-03095-121	.52 AC.
LOT	22	23-48-16-03095-122	.53 AC.
LOT	23	23-48-16-03095-123	.58 AC.
LOT	24	23-48-16-03095-124	.70 AC.
LOT	25	23-48-16-03095-125	.51 AC.
LOT	26	23-48-16-03095-126	.50 AC.


RENTENTION AREA: 23-4S-16-03095-099 2.22 AC.

## "CANNON CREEK PLACE UNIT 2"

IN SECTION 23 & 24, TOWNSHIP 4 SOUTH, RANGE 16 EAST, COLUMBIA COUNTY, FLORIDA

PLAT BOOK 130 **PAGES** SHEET 1 OF 2

SECTION 23, TOWNSHIP 4 SOUTH, RANGE 16 EAST.




LOCATION SKETCH NOT TO SCALE

DEDICATION:

KNOW ALL MEN BY THESE PRESENT THAT PETER W. GIEBEIG, AS DWNER, HAVE CAUSED THE LANDS HEREON DESCRIBED. TO BE SURVEYED, SUBDIVIDED AND PLATTED, TO BE KNOWN AS 'CANNON CREEK PLACE UNIT 2', AND THAT ALL ROADS, STREETS, RETENTION AREAS AND ALL EASEMENTS FOR UTILITIES, DRAINAGE AND OTHER PURPOSES INCIDENT THERETO, EXCEPT DRAINAGE EASEMENTS, AS SHOWN AND/OR DEPICTED HEREON ARE HEREBY DEDICATED TO THE PERPETUAL USE OF THE PUBLIC.

I HEREBY CERTIFY THAT ON THIS 13 DAY OF OCHOOR . 2006 A.D. BEFORE ME PERSONALLY APPEARED PETER W. GLEBEIG, AS OWNER. TO ME KNOWN TO BE THE PERSON DESCRIBED IN AND WHO EXECUTED THE FORGOING DEDICATION AND ACKNOWLE DGED THE EXECUTION THEREOF TO BE HIS/HER FREE ACT AND DEED FOR THE USES AND PURPOSES THEREOF THE USES AND PURPOSES THERE IN EXPOSSED. IN COLUMN EXECUTION THEREOF THE USES AND PURPOSES THEREIN EXPRESSED. IN WITNESS WHEREOF I HAVE SET MY HAND AND SEAL ON THE ABOVE DATE

NOTARY PUBLIC, STATE OF FLORIDA AT LARGE



COLUMBIA COUNTY COMMISSION THIS 16 th DAY OF November , 2006, A.D.

SURVEYOR'S NOTES

1. BOUNDARY BASED ON MONUMENTATION FOUND.

- 2. BEARINGS ARE BASED ON AN ASSUMED BEARING OF N.00°48'28"W. FOR THE EAST LINE OF SECTION 23.
- THIS PARCEL IS IN ZONE "X" AND IS DETERMINED TO BE OUTSIDE THE 500 YEAR FLOOD PLAIN AS PER FLOOD RATE MAP, DATED 6 JANUARY, 1988 COMMUNITY PANEL NUMBER 120070 0175 B. HOWEVER, THE FLOOD INSURANCE RATE MAPS ARE SUBJECT TO CHANGE 4. IF THEY EXIST, NO UNDERGROUND ENCROACHMENTS AND/OR UTILITIES WERE LOCATED FOR

CHAIRMAN

- THIS SURVEY EXCEPT AS SHOWN HEREON. 5. THIS SURVEY WAS COMPLETED WITHOUT THE BENEFIT OF A TITLE COMMITMENT OR A TITLE
- EASEMENTS ARE AS SHOWN HEREON.
- THERE MAY BE ADDITIONAL RESTRICTIONS THAT ARE NOT RECORDED ON THIS PLAT THAT MAY BE FOUND IN THE PUBLIC RECORDS OF COLUMBIA COUNTY.
- SURVEY CLOSURE PRECISION EXCEEDS THE REQUIREMENTS OF THE MINIMUM TECHNICAL STANDARDS FOR SURVEYING IN THE STATE OF FLORIDA.
- 9. PRELIMINARY PLAN APPROVED ON OCTOBER 20, 2005.

ALL PLATTED UTILITY EASEMENTS SHALL PROVIDE THAT SUCH EASEMENTS SHALL ALSO BE FOR THE CONSTRUCTION, INSTALLATION, MAINTENANCE, AND OPERATION OF CABLE TELEVISION SERVICES; PROVIDED, HOWEVER, NO SUCH CONSTRUCTION, INSTALLATION, MAINTENANCE, AND OPERATION OF CABLE TELEVISION SERVICES SHALL INTERFERE WITH THE FACILITIES AND SERVICES OF ELECTRIC, TELEPHONE, GAS OR OTHER PUBLIC UTILITY, IN THE EVENT THAT A CABLE TELEVISION COMPANY DAMAGES THE FACILITIES OF A PUBLIC UTILITY, IT SHALL BE SOLELY RESPONSIBLE FOR THE DAMAGES.

#### COUNTY ATTORNEY CERTIFICATE

L HEREBY CERTIFY THAT I HAVE EXAMINED THE FORGOING PLAT AND THAT IT COMPLIES IN FORM WITH THE COLUMBIA COUNTY SUBDIVISION, ORDINANCE AND CHAPTER 177 OF THE FLORIDA STATUTES.

BATE NOVEMBER 27, 2006 COUNTY ATTORNEY BAIE NOVEMBER 27, 2006

CERTIFICATE OF CLERK OF CIRCUIT COURT: THIS PLAT HAVING BEEN APPROVED BY THE COLUMBIA COUNTY BOARD OF COUNTY COMMISSIONERS IS ACCEPTED FOR FILES AND RECORDED THIS 12

BAY OF December 2006, AB IN PLAT BOOK 130-13) CLERK OF COURT. COLUMBIA COUNTY, FLORIDA

APPROVAL: PUBLIC WORKS DEPARTMENT, STATE OF FLORIDA, COUNTY OF COLUMBIA.

I HEREBY CERTIFY THAT THE IMPROVEMENTS HAVE BEEN CONSTRUCTED IN AN ACCEPTABLE MANNER AND IN ACCORDANCE WITH COUNTY SPECIFICATIONS AND THAT A MAINTENANCE AND REPAIR SURETY OR CASH BOND IN THE AMOUNT OF \$ 2500.00 THAT A PERFORMANCE BOND OR INSTRUMENT IN THE AMOUNT OF \$ MADERN SEEN POSTED TO ASSURE COMPLETION OF ALL REQUIRED IMPROVEMENTS IN CASE OF DEFAULT.

Director OF PUBLIC WORKS 12/7/06

NOTICE: THIS PLAT AS RECORDED IN ITS GRAPHICAL FORM, IS THE OFFICIAL DEPICTION OF THE SUBDIVIDED LANDS DESCRIBED HEREIN AND WILL IN NO CIRCUMSTANCES BE SUPPLANTED IN AUTHORITY BY OTHER GRAPHICAL OR DIGITAL FORM OF THE PLAT. THERE MAY BE ADDITIONAL RESTRICTIONS THAT ARE NOT RECORDED ON THIS PLAT THAT MAY BE FOUND IN THE PUBLIC RECORDS OF THIS COUNTY.

#### DEVELOPER:

PETER W. GIEBEIG 386-752-7968 P.D. BOX 1384 LAKE CITY, FL 32056

A PART OF THE NE 1/4 OF THE SE 1/4 OF SECTION 23, TOWNSHIP 4 SOUTH, RANGE 16 EAST, AND A PART OF THE NW OF THE SW OF SECTION 24, TOWNSHIP A SOUTH, RANGE 16 EAST, COLUMBIA COUNTY, FLORIDA BEING MORE

PARTICULARLY DESCRIBED AS FOLLOWS: COMMENCE AT THE NE CORNER OF THE

SE 1/4 OF SAID SECTION 23. AND RUN THENCE N.89°31′58″W., 1010.39 FEET;

THENCE S.00°35′47″E., 754.69 FEET; THENCE N.89°24′13″E., 474.78 FEET; THENCE THENCE S.UU"35'47"E., 754.69 FEET; THENCE N.89"24'13"E., 474.78 FEET; THENCE S.00"35'47"E., 144.00 FEET; THENCE N.89"24'13"E., 287.30 FEET; THENCE N.00"35'47"W., 144.00 FEET; THENCE N.89"24'13"E., 250.86 FEET TO THE EAST LINE OF SAID SECTION 23 SAID POINT ALSO BEING THE NW CORNER OF WISE ESTATES AS PER PLAT THEREOF RECORDED IN PLAT BOOK 7 PAGE 164-167; THENCE N.00"48'28"W., ALONG SAID EAST LINE, 566.91 FEET TO A POINT ON A CURVE OF A CURVE TO THE LEFT HAVING A RADIUS OF 270.00 FEET, AN INCLUDED ANGLE OF 34°40'14", A CHORD BEARING OF N.50°14'03"E., AND A CHORD DISTANCE OF 160.90 FEET; THENCE NORTHEASTERLY ALONG THE ARC OF SAID CURVE FOR AN ARC DISTANCE OF 163.38 FEET TO THE SOUTHEASTERLY MOST CORNER OF LOT 40 IN CANNON CREEK PLACE AS PER PLAT THEREOF RECORDED IN PLAT BOOK 8 PAGES 31-34; THENCE N.62°19'58'W., ALONG THE SOUTHERLY LINE OF SAID LOT 40, 142.34 FEET TO THE POINT OF BEGINNING. CONTAINING 18.53 ACRES MORE OR

CERTIFICATE OF COUNTY SURVEYOR: KNOWN ALL MEN BY THESE PRESENT, THAT THE UNDERSIGNED, BEING A LICENSED AND REGISTERED LAND SURVEYOR, AS PROVIDED UNDER CHAPTER 472, FLORIDA STATUTES AND IS IN GOOD STANDING WITH THE BOARD OF LAND SURVEYORS, DOES HEREBY CERTIFY ON BEHALF OF COLUMBIA COUNTY, FLORIDA ON THE DATE BELOW I HAVE REVIEWED THIS PLAT FOR CONFORMITY TO CHAPTER 177 FLORIDA STATUTES AND SAID PLAT MEETS ALL THE REQUIREMENTS OF CHAPTER 177 AS AMENDED.

NAME: TIMOTHY A. DELBENE, DONALD F. LEE & ASSOC.

SURVEYOR'S CERTIFICATE

I HEREBY CERTIFY THIS TO BE A TRUE AND CORRECT REPRESENTATION OF THE LAND SURVEYED AND SHOWN HEREON, THAT THE SURVEY WAS MADE UNDER MY RESPONSIBLE ! ! SUPERVISION, DIRECTION AND CONTROL, THAT PERMANENT REFERENCE MONUMENTS HAVE BEEN SET AS SHOWN AND THAT SURVEY DATA COMPLIES WITH THE COLUMBIA COUNTY. SUBDIVISION ORDINANCE AND CHAPTER 177 OF THE FLORIDA STATUTES. 10/13/06

L. SCOTT BRITT, PSM #5757




# BRITT SURVEYING

LAND SURVEYORS AND MAPPERS

1426 WEST DUVAL STREET LAKE CITY, FLORIDA 32055

TELEPHONE: (386) 752-7163 FAX: (386) 752-5573 WORK ORDER # L-16562

TEMPILIBSBZFIN. DWG MON NOV 13 10: 10: 5/ 2005



NORTH LINE OF THE SE 1/4

- 20' UTILITY EASEMENT

20' UTILITY EASEMENT

116.00' 116.00' 116.00'

134.64′

MAINTAINENCE

11.00

EASEMENT

*RETENTION* 

AREA

287.30′ N.89°24′13**°**E.

15' DRAINAGE

MAINTAINENCE

EASEMENT

0.51 Acres, ±

105.64'

10' DRAINAGE EASEMENT

0.52 Acres, ±

S.89°24'13"W.

22 0.53 Acres, ±

76.78

0.51 Acres, ± 0.51 Acres, ±

15

0.51 Acres, ±

165.00′

N.89°24'13"E.

13

10.00' 20.00' DRAINAGE EASEMENT

UNPLATTED LANDS


N.89°24′13°E.

0.50 Acres, ±

14

0.51 Acres, ± 5

PLAT BOOK
PAGES 31
SHEET 2 OF 2



0 25 50 100 200 GRAPHIC SCALE

S Y M B D L L E G E N D: P.R.M. PERMANENT REFERENCE MONUMENT

PLS PROFESSIONAL LAND SURVEYOR

CENTERLINE

4"X4" CONCRETE MONUMENT

MFE MINIMUM FLOOR ELEVATION

TYP TYPICAL

• PERMANENT CONTROL POINT

UNLESS OTHERWISE SHOWN HEREON ALL CORNERS SHOWN HEREON ARE L.S. BRITT PLS #5757

#### CURVE TABLE

CURVE IADLE									
RADIUS 270.00' 270.00' 270.00' 300.00' 170.00' 200.00' 200.00' 250.00' 60.00' 60.00' 140.00' 140.00' 140.00' 25.00' 240.00' 240.00' 60.00'	DEL TA 34°40′14" 47°39′48" 09°54′18" 20°38′37" 91°03′49" 24°07′22" 20°27′43" 22°56′32" 23°32′12" 49°40′47" 79°50′04" 59°50′43" 79°50′04" 49°40′47" 38°40′36" 52°23′13" 89°06′58" 90°00′00" 51°28′45" 38°20′29" 27°28′47" 62°31′13"	ARC 163.38' 224.61' 46.68' 108.09' 270.19' 84.20' 71.43' 80.08' 82.16' 21.68' 83.60' 62.67' 62.67' 83.60' 21.68' 94.50' 128.01' 38.88' 424.12' 215.63' 160.60' 28.78' 65.47'	TANGENT 84.28' 119.26' 23.40' 54.64' 173.19' 42.74' 36.10' 40.59' 41.67' 11.57' 50.20' 34.53' 34.53' 50.20' 11.57' 49.13' 68.87' 24.62' 270.00' 115.71' 83.44' 14.67' 36.42'	CHURD 160.90' 218.19' 46.62' 107.51' 242.64' 83.58' 71.05' 79.55' 81.58' 21.00' 77.00' 59.86' 77.00' 21.00' 92.72' 123.59' 35.08' 381.84' 208.45' 157.62' 28.50' 62.27'	CHDRD BEARING N.50°14'03"E. S.56°43'50"W. S.80°08'43"W. N.44°56'08"E. S.78°24'21"W. S.56°06'49"W. S.34°24'41"W. S.11°10'19"W. S.24°14'37"W. S.60°40'25"E. N.10°21'32"W. N.25°26'10"W. N.18°44'31"E. N.64°16'25"E. S.44°58'29"E. S.44°58'29"E. S.44°58'79"W. S.70°13'59"W. S.75°39'50"W. S.30°39'50"W.				
60.00'	27°28'47"	28.78′	14.67'	28.50′	S.75°39′50°W.				
25.00′ 330.00′	86°14′17″ 14°16′45″	37.63′ 82.24′	23.41′ 41.34′	34.18′ 82.03′	N.42°48′18°E. N.78°47′04°E.				

DEVELOPER:

PETER W. GIEBEIG

386-752-7968

P.O. BOX 1384

LAKE CITY, FL 32056

NO IDENTIFICATION

PRM 64.28

0.54 Acres, ±

0.51 Acres,

165.00'

N.89°24'13°E.

0.50 Acres, ±

195.00'

15' DRAINAGE MAINTAINENCE -

NOTICE:
THIS PLAT AS RECORDED IN ITS GRAPHICAL FORM, IS THE
OFFICIAL DEPICTION OF THE SUBDIVIDED LANDS DESCRIBED
HEREIN AND WILL IN NO CIRCUMSTANCES BE SUPPLANTED IN
AUTHORITY BY OTHER GRAPHICAL OR DIGITAL FORM OF THE
PLAT. THERE MAY BE ADDITIONAL RESTRICTIONS THAT ARE NOT
RECORDED ON THIS PLAT THAT MAY BE FOUND IN THE PUBLIC
RECORDS OF THIS COUNTY.

0.51 Acres, ±

81.07'

24

10' DRAINAGE EASEMENT

N.89°24'13°E.

UNPLATTED LANDS

1<u>58.79′</u>

POINT OF BEGINNING

NE CORNER OF THE SE 1/4 NO IDENTIFICATION

LOT 40

CANNON CREEK PLACE PLAT BOOK 8 PAGES 31 - 34 RETENTION AREA

D.F. LEE

LB #7042

WISE ESTATES

PAGE 164 - 167

LOT 6

PLAT BOOK 7



# BRITT SURVEYING

LAND SURVEYORS AND MAPPERS

1426 WEST DUVAL STREET LAKE CITY, FLORIDA 32055

TELEPHONE: (386) 752-7163 FAX: (386) 752-5573 WORK ORDER # L-16562