LINE NO.

L2 L3

L4

L5

L6

L7

L8

L9

L10

L11

L12

L13

L14

L15

L16

L17

L18

L19

L20

BAILEY BISHOP & LANE, INC. 484 SW COMMERCE DRIVE, SUITE 135 P. O. BOX 3717

LAKE CITY, FL 32056-3717 PH. (386) 752-5640 FAX (386) 755-7771 Eng. Lic. 7362 Survey Lic. LB-0006685 BBL Job No. 031201MOS

DISTANCE

30.28

128.68'

94.58'

120.18'

183.86'

65.14

81.87

40.19

87.51'

78.74

84.12'

75.67'

97.98'

107.65

80.43'

163.91'

48.89'

175.61'

312.60'

84.47'

(60'R/W)

LINE TABLE

BEARING

S 07°07′19″ E

S 67°55′17″ E

N 37°48'01" E

S 88°15'53' W

N 07°37′25″ W

N 10°52′42″ E

N 22°23′05″ E

N 35°21′30″ E

N 62°58'01" E

N 84°11′13″ E

S 60°21′10″ E

S 41°13′14″ E

S 29°55′58″ E

S 19°29'07" W

S 03°27′20″ W

S 78°42'24' W

S 88°15′53″ W

N 81°24'09" W

N 08°07'27" W

N 02°56'01" E

DEVELOPER:

BIRLEY ROAD, LLC

1420 SOUTH FIRST STREET

LAKE CITY, FL. 32055

(386) 752-4621

SURVEYOR:

BRIAN SCOTT DANIEL

P. O. BOX 3717

LAKE CITY, FL. 32056 (386) 752-5640

ENGINEER:

GREGORY G. BAILEY

P. O. BOX 3717

LAKE CITY FL. 32056

- TANGENT L - ARC LENGTH

- CENTRAL ANGLE

LOT NUMBER

CURVE NUMBER

R/W - RIGHT OF WAY

— 145 — CONTOUR

CH - CHORD BEARING & DISTANCE

PRM - PERMANENT REFERENCE MONUMENT

FDOT - FLORIDA DEPARTMENT OF TRANSPORTATION

. AC - ACRE(S)

LB - LICENSED BUSINESS

LS - LICENSED SURVEYOR

PCP - PERMANENT CONTROL POINT

(386) 752-5640

WEST PACES

SUWANNEE RIVER DOWNS

PLAT BOOK 5, PG 91,91A

S 88° 53'42" W | 1292.63'

- 10' UTILITY EASEMENT

10' UTILITY /

3 5.27 AC.

10' UTILITY EASEMENT

(9)

5.01 AC.

10

404.26

5.07 AC.

5.13 AC.

SOUTH LINE OF SW 1/4 OF SE 1/4

363.60

N 89° 04'43" E 1291.68'

(BASIS OF BEARINGS)

-10' UTILITY EASEMENT

UNPLATTED

LANDS

5.02 AC.

5.01 AC.

TOWNSHIP 3 SOUTH

NPLATTED

S 88° 30'38" W 354.65'

-- 10' UTILITY / EASEMENT

S 57° 21'25" E 51.06'

N 82° 21'25" W

N 62° 38'35" E 60.46'

IPC - IRON PIPE & CAP

- REBAR

IR - IRON ROD

NL - NAIL NL+D - NAIL & DISK

RBC - REBAR & CAP

IRC - IRON ROD & CAP

- PAGE(S)

- SECTION

RNG - RANGE

- TOWNSHIP

ORB - OFFICIAL RECORDS BOOK

- POINT OF COMMENCEMENT

- POINT OF BEGINNING

RB

PG

POC

POB SEC

TWP

SECTION 32, TOWNSHIP 3 SOUTH, RANGE 16 EAST COLUMBIA COUNTY, FLORIDA

30.00'

10' UTILITY-EASEMENT

(5)

LASEMENT

318.24

181

5.11 AC.

(8)

5.04 AC.

PLAT BOOK 8 PAGE 28 OF SHEET

U.S. HIGHWAY 90 WEST PACES TOWNSHIP 3 SOUTH TOWNSHIP 4 SOUTH

LOCATION MAP NOT TO SCALE UNPLATTED LANDS S 89° 12'42" W 767.68'

SUWANNEE RIVER DOWNS PLAT BOOK 5, PG 91,91A 10' UTILITY EASEMENT 5.37 AC. 89° 06'18" E -20'INGRESS-EGRESS EASEMENT BENCHMARK *2'
TOP OF CONCRETE MONUMENT (LB6685)
ELEVATION = 150.91'

240.59 20' UTILITY' -DRAINAGE EASEMENT COMMON (6)AREA 3.01 AC.

100 200 TOWNSHIP 3 SOUTH 365.27' SCALE: 1" - 200' N 89° 07'32" E 1082.58' TOWNSHIP 4 SOUTH UNPLATTED LANDS SOUTH LINE OF SE 1/4 OF SE 1/4

		·		
		CURV	E DAT	A
RVE D.	RADIUS	DELTA	ARC LENGTH	
-1	200.00'	27° 06'40"	94 64'	1

SW 1/4 OF SE 1/4, SEC. 32, TWP. 3-S, RNG. 16-E

CURVE NO.	RADIUS	DELTA	ARC LENGTH	CHORD BEARING	CHORD DIST.		
1-1	200.00'	27° 06'40"	94.64'	N 79° 05'15" E	93.76'		
2-1	200.00'	28° 17'37"	98.76'	N 51° 23'06" E	97.76'		
2-2	500.00'	27° 15'28''	237.87'	N 50° 52'01" E	235.63'		
3-1	500.00'	33° 29'30"	292.27'	N 81° 14'31" E	288.13'		
4-1	500.00'	04° 59'33"	43.57'	S 79° 30'58" E	43.55'		
9-1	500.00'	43° 07'40"	376.36'	S 81° 24'58" W	367.54'		
10-1	500.00'	22° 36'51"	197.35'	S 48° 32'43" W	196.07'		
11-1	200.00'	55° 24'17"	193.40'	S 64°56'26" W	185.95'		

(4)

50' BUILDING SETBACK FROM

SINKHOLE

5.19 AC.

SPECIAL NOTES

NOTICE: THIS PLAT, AS RECORDED IN ITS GRAPHIC FORM, IS THE OFFICIAL DEPICTION OF THE SUBDIVIDED LANDS DESCRIBED HEREIN AND WILL IN NO CIRCUMSTANCES BE SUPPLANTED IN AUTHORITY BY ANY OTHER GRAPHIC OR DIGITAL FORM OF THE PLAT. THERE MAY BE ADDITIONAL RESTRICTIONS THAT ARE NOT RECORDED ON THIS PLAT THAT MAY BE FOUND IN THE PUBLIC RECORDS OF THIS COUNTY.

400

NOTICE: ALL PLATTED UTILITY EASEMENTS SHALL PROVIDE THAT SUCH EASEMENTS SHALL ALSO BE EASEMENTS FOR THE CONSTRUCTION, INSTALLATION, MAINTENANCE AND OPERATION OF CABLE TELEVISION SERVICES PROVIDED. HOWEVER, NO SUCH CONSTRUCTION, INSTALLATION, MAINTENANCE, AND OPERATION OF CABLE TELEVISION SERVICES SHALL INTERFERE WITH THE FACILITIES AND SERVICES OF ELECTRIC, TELEPHONE, GAS, OR OTHER PUBLIC UTILITY. IN THE EVENT THAT A CABLE TELEVISION COMPANY DAMAGES THE FACILITIES OF A PUBLIC UTILITY, IT SHALL BE SOLELY RESPONSIBLE FOR THE DAMAGES.

NOTICE: WATER RUN OFF FROM EXISTING PUBLIC ROAD RIGHTS OF WAY MAY OCCUR DURING HEAVY RAINS.

OFFICIAL RECORDS BOOK PAGE ____

		N 89° 04'43" E	P 4 SOUTH
	LEGEND	40.32	
0	DENOTES 5/8" IRON ROD & CAP SET (LB6685)	N - NORTH	
	DENOTES IRON PIPE OR REBAR FOUND	E - EAST	
	DENOTES 4"x 4" CONCRETE MONUMENT SET (LB6685)	S - SOUTH	
	DENOTES 4"x 4" CONCRETE MONUMENT FOUND	W - WEST	
0	DENOTES NAIL & DISK SET	C/L - CENTERLINE (P) - PLAT	
•	DENOTES NAIL & DISK FOUND	(D) - DEED	
±	- MORE OR LESS	(C) - CALCULATED	
PC	- POINT OF CURVATURE	(M) - MEASURED	
PT	- POINT OF TANGENCY	O/S - OFFSET	
PI	- POINT OF INTERSECTION	NO ID - NO IDENTIFICATION	
PRC	- POINT OF REVERSE CURVATURE	FND - FOUND	
PCC	- POINT OF COMPOUND CURVATURE	CM - CONCRETE MONUMENT	
R	- RADIUS	IP - IRON PIPE	-

P.O.C. SW CORNER OF SE 1/4, SEC. 32, TWP. 3-S, RNG. 16-E-

BAILEY BISHOP & LANE, INC. 484 SW COMMERCE DRIVE, SUITE 135 P. O. BOX 3717 LAKE CITY, FL 32056-3717 PH. (386) 752-5640 FAX (386) 755-7771 Eng. Lic. 7362 Survey Lic. LB-0006685 BBL Job No. 031201MOS

WEST PACES

SECTION 32, TOWNSHIP 3 SOUTH, RANGE 16 EAST COLUMBIA COUNTY, FLORIDA

DeWIFFICASON



A PART OF THE SE 1/4 OF SECTION 32, TOWNSHIP 3 SOUTH, RANGE 16 EAST, COLUMBIA COUNTY, FLORIDA, BEING MORE PARTICULARLY DESCRIBED AS FOLLOWS:

COMMENCE AT THE SOUTHWEST CORNER OF THE SE 1/4 OF SAID SECTION 32 AND RUN N 89° 04'43" E, ALONG THE SOUTH LINE THEREOF, 40.92 FEET TO THE EAST RIGHT OF WAY OF SW BIRLEY AVENUE AND TO THE POINT OF BEGINNING; THENCE CONTINUE N 89° 04'43" E, STILL ALONG SAID SOUTH LINE, 1291.68 TO THE SOUTHEAST CORNER OF THE SW 1/4 OF THE SE 1/4 OF SAID SECTION 32; THENCE N 89° 07'32" E, STILL ALONG SAID SOUTH LINE 1082 EP FEET THENCE N 89° 06'18" E ALONG SAID SOUTH LINE, 1082.58 FEET; THENCE N 00° 59'32' E, 727.60 FEET; THENCE N 89° 06'18" E, 117.47 FEET; THENCE N 04° 09'58" W, 195.19 FEET; THENCE S 89° 12'42" W, 767.68 FEET; THENCE N 01° 05'04" W, 335.51 FEET; THENCE S 88° 53'42" W, 1292.63 FEET; THENCE S 03° 04'07" E, 392.88 FEET; THENCE S 88° 30'38" W, 354.65 FEET TO THE AFOREMENTIONED EASTERLY RIGHT OF WAY OF SW BIRLEY AVENUE; THENCE S 07° 25'13' W, ALONG SAID EASTERLY RIGHT OF WAY, 418.66 FEET; THENCE S 04° 37'12" W, STILL ALONG SAID EASTERLY RIGHT OF WAY, 446.00 FEET TO THE POINT OF BEGINNING.

CONTAINING 59.38 ACRES, MORE OR LESS.

- 1. BEARINGS ARE BASED ON THE SOUTH LINE OF THE SW 1/4 OF THE SE 1/4, SECTION 32, TOWNSHIP 3 SOUTH, RANGE 16 EAST, BEING N 89° 04'43" E.
- 2. TOTAL ACRES IN SUBDIVISION IS 59.38 ACRES.
- 3. SUBDIVISION CONSISTS OF 11 LOTS, RANGING IN SIZE FROM 5.01 AC. TO 5.37 AC. AND ONE COMMON AREA.
- 4. BM DATUM IS NAVD 1988. CONTOURS DETERMINED FROM FIELD DATA.
- 5. PROPERTY IS ZONED A-3 (AGRICULTURAL).
- 6. CLOSURE EXCEEDS 1:10000.
- 7. ACCORDING TO FLOOD INSURANCE RATE MAP (COMMUNITY PANEL NO. 120070 0175 B EFFECTIVE DATE JANUARY 6, 1988) THE ABOVE DESCRIBED LANDS LIE IN ZONE "X", AN AREA DETERMINED TO BE OUTSIDE THE 500-YEAR FLOOD PLAIN.
- 8. PRELIMINARY PLAT WAS APPROVED ON APRIL 15, 2004.
- 9. BUILDING SETBACKS ARE AS FOLLOWS:

SIDE - 25 FEET REAR - 25 FEET

CERTIFICATE OF DEDICATION & OWNERSHIP:

KNOW ALL MEN BY THESE PRESENTS THAT BIRLEY ROAD, LLC, AS OWNER, HAS CAUSED THE LANDS HEREON SHOWN TO BE SURVEYED, SUBDIVIDED AND PLATTED, TO BE KNOWN AS "WEST PACES" AND THAT ALL RIGHTS-OF-WAY AND EASEMENTS AS SHOWN ARE RESERVED BY THE OWNER FOR THE BENEFIT OF THE OWNER, ITS SUCCESSORS, GRANTEES AND ASSIGNS AND ARE NOT DEDICATED TO THE PUBLIC.

OWNER: BIRLEY ROAD, LIJC.

DAVID BREWER, MANAGING MEMBER OF BIRLEY ROAD, LLC

Buin W. Bailey
WITNESS
Stacy D. Allerton

ACKNOWLEDGEMENT: STATE OF FLORIDA, COUNTY OF COLUMBIA

SAID CORPORATION. HE IS PERSONALLY KNOWN TO ME OR HAS AS IDENTIFICATION.

MY COMMISSION EXPIRES:

Notary Public State of Florida Gladys R Harper My Commission DD425138 Expires 05/13/2009

CERTIFICATE OF APPROVAL BY THE ATTORNEY FOR COLUMBIA COUNTY, FLORIDA

APPROVED AS TO LEGAL FORM AND SUFFICIENCY BY

CLERK'S CERTIFICATE

THIS PLAT HAVING BEEN APPROVED BY THE COLUMBIA

CERTIFICATE OF APPROVAL BY THE BOARD OF COUNTY COMMISSIONERS OF COLUMBIA COUNTY, FLORIDA

THIS IS TO CERTIFY THAT ON 7 AGREL 2005 THE AFOREGOING PLAT WAS APPROVED BY THE BOARD OF COUNTY COMMISSIONERS FOR COLUMBIA COUNTY, FLORIDA.

mult refiner CHARNAN

CERTIFICATE OF SURVEYOR

I, THE UNDERSIGNED PROFESSIONAL SURVEYOR AND MAPPER, HEREBY CERTIFY THAT THIS PLAT IS A TRUE AND CORRECT REPRESENTATION OF THE LANDS SURVEYED, THAT THE SURVEY DATA COMPLIES WITH ALL REQUIREMENTS OF CHAPTER 177, FLORIDA STATUES AND THE COLUMBIA COUNTY LAND DEVELOPMENT CODE AND THAT THE PERMANENT REFERENCE MONUMENTS WERE INSTALLED AS OF THE MANUAL POINTS AND LOT CORNERS WERE INSTALLED AS OF THE 14 TO DAY OF JAN. 2005

PROFESSIONAL SURVEYOR & MAPPER FLORIDA REGISTRATION NO. 6449

BAILEY, BISHOP & LANE, INC P.O. BOX 3717 LAKE CITY, FLORIDA 32056-3717 LB 6685

CERTIFICATE OF COUNTY SURVEYOR

KNOW ALL MEN BY THESE PRESENTS, THAT THE UNDERSIGNED, BEING A LICENSED AND REGISTERED LAND SURVEYOR AND MAPPER, AS PROVIDED UNDER CHAPTER 472, FLORIDA STATUTES AND IS IN GOOD STANDING WITH THE BOARD OF LAND SURVEYORS, DOES HEREBY CERTIFY THAT ON BEHALF, OF COLUMBIA COUNTY, FLORIDA HAS REVIEWED THIS PLAT FOR CONFORMITY TO CHAPTER 177, FLORIDA STATUTES: AND SAID PLAT MEETS ALL THE REQUIREMENTS OFTCHARTER 177, AS AMENDED.

REGISTRATION NUMBER # 5594

CERTIFICATE OF SUBDIVIDER'S ENGINEER

THIS IS TO CERTIFY THAT ON 6/28/05 GREGORY G. BAILEY, REGISTERED FLORIDA ENGINEER, AS SPECIFIED WITHIN CHAPTER 471, FLORIDA STATUES, LICENSE NO. 43858, DOES HEREBY CERTIFY THAT ALL REQUIRED IMPROVEMENTS HAVE BEEN INSTALLED IN COMPLIANCE WITH THE APPROVED CONSTRUCTION PLANS AND IF APPLICABLE, ANY SUBMITTED "AS BUILT" BLUEPRINTS IN ACCORDANCE WITH THE REQUIREMENTS OF THE BOARD OF COUNTY COMMISSIONERS OF COLUMBIA COUNTY, FLORIDA.

FOR 2006

WEST PACES S/D

HEADER – 32-3S-16-02431-200. A S/D LYING IN THE SE1/4 OF SEC. 32-3S-16 RECORDED IN PLAT BOOK 8 PAGES 27 & 28.

PARENT PARCEL 32-3S-16-02431-000 59.38 AC (DELETE ALL USED UP)

LOT 1	32-3S-16-02431-201	5.01 AC
LOT 2	32-3S-16-02431-202	5.13 AC
LOT 3	32-3S-16-02431-203	5.27 AC
LOT 4	32-3S-16-02431-204	5.19 AC
LOT 5	32-3S-16-02431-205	5.11 AC
LOT 6	32-3S-16-02431-206	5.16 AC
LOT 7	32-3S-16-02431-207	5.37 AC
LOT 8	32-3S-16-02431-208	5.04 AC
LOT 9	32-3S-16-02431-209	5.01 AC
LOT 10	32-3S-16-02431-210	5.07 AC
LOT 11	32-3S-16-02431-211	5.02 AC

COMMON AREA 32-3S-16-02431-212 3.01 AC